

70+ GLOBAL PARTNERS



ICECO


GUANGDONG ICECO ENTERPRISE CO.,LTD
23 Health Rd., National Health Technology
Park, Torch Development Zone, Zhongshan,
Guangdong, P.R.China 528437

 <https://www.iceco.cn>

 support01@iceco.cn



ICECO | Portable
Freezer



PRODUCT CATALOG

CONTENTS

CONSOLE FRIDGES

B13	01
YCD15B	01
H15/18	02

PORTABLE FRIDGES

MCD15/20S	03
A15/20	03
J20	04
GO20	05
A30	05
YCD20/35N1	06
YCD20/35N2	07
YCD20/35N3	08
FCD35K2	09
VL35/45/60/75/90 PRO	10
TCD35/45/55	11
MCD40/55/75G	12
YCD33/45/60S	13
VL45S/60D	14
MCD50/65/75	15
APL55	16

WHEELED RANGE

MCD30/40/50J	17
YCD30/40/50P	18
YCD45/60S	19
MCD50/65/75/95K	20

UPRIGHT FRIDGES

YC42A2/YC49A3	21
YC60/YC85A3	22
YC85A4/YC110	23
YC150/YC226S	24

DRAWER FRIDGES


CT16/CT30	25
CT32/CT60	26

OUTDOOR LIFE


AIR CONDITIONER	27
PORTABLE GAS WATER HEATER	28
CUSTOMIZED LITHIUM-ION BATTERY	29
1075WH PORTABLE POWER STATION	30

ACCESSORIES

Partial container loading data is estimated data,
please refer to actual packaging for details



CONSOLE FRIDGES

The image shows the front interior of a car with tan leather seats. A silver console fridge is installed in the center console. The fridge has a digital display and several buttons on its top surface. The steering wheel is visible in the upper left corner, and the center console has a gear shifter and handbrake. The overall lighting is warm and focused on the central area.

B13 PORTABLE REFRIGERATOR

Features

- MPV exclusive
- Fast cooling & energy saving
- 35W Low power consumption
- Cup holder
- 3-level battery protection
- Mechanical knob type temperature control
- DC operation (12V/24V)

Specifications

- Capacity: 13L
- Dimension: L535*W220*H360mm
- Net weight: 10kg
- Temperature range: -18°C to +10°C

Container Qty	20GP	40GP	40HQ
	330 pcs	680 pcs	816 pcs



H15/18 PORTABLE REFRIGERATOR

Features

- Convenient to carry
- Anti tipping bracket
- MPV exclusive
- Fast cooling & energy saving
- 35W Low power consumption
- 3-level battery protection
- Digital display Control
- DC operation (12V/24V)

Specifications

- Capacity: 15L/18L
- Dimension:
 - 15L: L565*W235*H360mm
 - 18L: L565*W235*H405mm
- Net weight: 8.2kg/8.6kg
- Temperature range: -18°C to +10°C

Container Qty	20GP	40GP	40HQ
15L	360 pcs	760 pcs	912 pcs
18L	360 pcs	760 pcs	760 pcs



YCD15B PORTABLE REFRIGERATOR

Features

- MPV exclusive
- Press type door opening
- Kid lock
- Rapid cooling technology
- 35W Low power consumption
- 3-level battery protection
- DC operation (12V/24V)

Specifications

- Capacity: 15L
- Dimension: L234*W565*H360mm
- Net weight: 8.3kg
- Temperature range: -18°C to +10°C

Container Qty	20GP	40GP	40HQ
	330 pcs	695 pcs	695 pcs



PORTABLE FRIDGES



MCD15S/20S PORTABLE REFRIGERATOR

Features

- Fast cooling & energy saving
- Freely switchable lid
- 57mm Extra thick insulation
- 55W Low power consumption
- Soft close lid
- 3-level battery protection
- Digital display control panel
- DC operation (12V/24V)



Specifications

- Capacity: 15L/20L
- Dimension:
 - 15L: L615*W332*H268mm
 - 20L: L615*W332*H330mm
- Net weight: 10.2kg/10.9kg
- Temperature range: -20°C to +20°C

Container Qty	20GP	40GP	40HQ
15L	288 pcs	594 pcs	693 pcs
20L	240 pcs	495 pcs	594 pcs

J20 PORTABLE REFRIGERATOR

Features

- Durable aluminum alloy material
- Quite low noise
- Compact size but with big capacity
- Dual safety latches
- Waterproof rubber cover
- 3-level battery protection.
- Digital display control
- Strong cooling to -20°C
- Thick foaming layer for good
- Thermal function



Specifications

- Capacity: 16L
- Dimension: L636*W379*H294mm
- Net weight: 11.0kg
- Temperature range: -20°C to +10°C

Container Qty	20GP	40GP	40HQ
	252 pcs	516 pcs	516 pcs

A15/20 PORTABLE REFRIGERATOR

Features

- Fast cooling & energy saving
- Freely switchable lid
- 57mm Extra thick insulation
- 55W Low power consumption
- Soft close lid
- 3-level battery protection
- Digital display control panel
- DC operation (12V/24V)



Specifications

- Capacity: 15L/20L
- Dimension:
 - 15L: L615*W332*H268mm
 - 20L: L615*W332*H330mm
- Net weight: 10.2kg/10.9kg
- Temperature range: -20°C to +20°C


Container Qty	20GP	40GP	40HQ
15L	288 pcs	594 pcs	693 pcs
20L	240 pcs	495 pcs	594 pcs



All Aluminum
Exquisite Appearance



Dual Zone Design



APP Control



Zero Gravity Suspension
Door Hinge

GO20 PORTABLE REFRIGERATOR

Features

- Damping door hinge
- Soft close lid
- Automotive-class coating finish
- Smart APP control
- Excellent ventilation design
- 3-level battery protection
- Digital display

Specifications

- Capacity: 20L
- Dimension: L570*W320*H315mm
- Net weight: 10.8kg
- Temperature range: -18°C to +10°C



Container Qty	20GP	40GP	40HQ
	250 pcs	505 pcs	606 pcs

YCD20/35N1 PORTABLE REFRIGERATOR

Features

- Reversible lid
- Fast cooling & energy saving
- Low-noise
- 3-Level battery protection
- Digital display
- Extra thick gasket for good thermal function
- DC operation (12V/24V)

Specifications

- Capacity: 20L/35L
- Dimension:
20L: L572*W367*H357mm
35L: L578*W381*H502mm
- Net weight: 11.8kg/19.5kg
- Temperature range: -20°C to +20°C



Container Qty	20GP	40GP	40HQ
20L	140 pcs	284 pcs	355 pcs
35L	140 pcs	284 pcs	284 pcs

A30 PORTABLE REFRIGERATOR

Features

- Fast cooling & energy saving
- APP remote control
- Build-in LED light
- ≤ 35DB low noise
- Soft close lid
- 3-level battery protection
- Digital display control panel
- DC operation (12V/24V)


Specifications

- Capacity: 30L
- Dimension: L687*W382*H349mm
- Temperature range: -20°C to +20°C



Container Qty	20GP	40GP	40HQ
	210 pcs	435 pcs	522 pcs

DETACHABLE TWO-WAY DOOR



YCD20/35N2 PORTABLE REFRIGERATOR

Features

- Reversible lid
- Fast cooling & energy saving
- Low-noise
- 3-Level battery protection
- Digital display
- Extra thick gasket for good thermal function
- DC operation (12V/24V)



Specifications

- Capacity: 20L/35L
- Dimension:
 - 20L: L573*W360*H355mm
 - 35L: L578*W371*H500mm
- Net weight: 11.8kg/19.5kg
- Temperature range: -20°C to +20°C

Container Qty	20GP	40GP	40HQ
20L	140 pcs	284 pcs	355 pcs
35L	140 pcs	284 pcs	284 pcs

YCD20/35N3 PORTABLE REFRIGERATOR

Features

- Reversible lid
- Fast cooling & energy saving
- Low-noise
- 3-Level battery protection
- Digital display
- Extra thick gasket for good thermal function
- DC operation (12V/24V)



Specifications

- Capacity: 20L/35L
- Dimension:
 - 20L: L579*W365*H357mm
 - 35L: L584*W377*H502mm
- Net weight: 11.8kg/19.5kg
- Temperature range: -20°C to +20°C

Container Qty	20GP	40GP	40HQ
20L	140 pcs	284 pcs	355 pcs
35L	140 pcs	284 pcs	284 pcs



COMPATIBLE WITH VARIOUS POWER SOURCES



FCD35K2 PORTABLE REFRIGERATOR

The most suitable series for SUV

Features

- Dual DC socket and USB
- Max & Eco working mode
- Retractable handle
- Drain outlet
- Protective corners
- Fast cooling & energy saving
- Low noise
- Extra thick gasket for good thermal function

Specifications

- Capacity: 35L
- Dimension: L716×W408×H417 mm
- Net weight: 18.6kg
- Temperature range: -18°C to +10°C



Container Qty	20GP	40GP	40HQ
	132 pcs	264 pcs	330 pcs



VL35/45/60 PROS & VL75/90 PROD PORTABLE REFRIGERATOR

Features

- Dual opening lid
- Solid metal hinges
- Dual DC socket and USB
- Max & Eco working mode
- Retractable handle
- Drain outlet
- Protective corners
- Fast cooling & energy saving
- Low noise
- Extra thick gasket for good thermal function



Specifications

- Capacity: 35L/45L/60L/75L/90L
- Dimension:
 - 35L: L716*W408*H417mm
 - 45L: L713*W405*H461mm
 - 60L: L768*W470*H461mm
 - 75L: L928*W470*H461mm
 - 90L: L973*W525*H461mm
- Net weight:
 - 18.6kg/23.6kg/25.3kg/30.4kg/33.1kg
- Temperature range: -18°C to +10°C

Container Qty	20GP	40GP	40HQ
35L	132 pcs	264 pcs	330 pcs
45L	116 pcs	240 pcs	240 pcs
60L	100 pcs	216 pcs	216 pcs
75L	80 pcs	172 pcs	172 pcs
90L	72 pcs	144 pcs	144 pcs



TCD35/45/55 DUAL ZONE & DUAL DOORS PORTABLE REFRIGERATOR

Features

- Good combination of metal and plastic
- Dual compartments with independent temperature control
- Max & Eco working mode
- Fast cooling & energy saving
- Low power consumption
- Built-in LED light
- 3 in 1 (Fridge, freezer, fridge & freezer)
- Thick foam layer and gasket
- 3-level battery protection

Specifications

- Capacity: 35L/45L/55L
- Dimension:
 - 35L: L620*W400*H435mm
 - 45L: L620*W400*H505mm
 - 55L: L620*W400*H575mm
- Net weight: 17.8kg/19.6kg/22kg
- Temperature range: -18°C to +10°C



Container Qty	20GP	40GP	40HQ
35L	140 pcs	284 pcs	357 pcs
45L	105 pcs	213 pcs	284 pcs
55L	105 pcs	213 pcs	284 pcs



MCD40/55/75G PORTABLE REFRIGERATOR

Features


- LCD display
- One-click screen lock feature
- Quick & Eco cooling modes
- Sliding lid latch
- Three stage adjustable LED light
- Multiple USB ports
- 3-level battery protection
- Drain outlet

Specifications

- Capacity: 40L/55L/75L
- Dimension:
 - 40L: L710*W430*H420mm
 - 55L: L618*W501*H480mm
 - 75L: L852*W501*H480mm
- Net weight: 21kg/22kg/27.5kg
- Temperature range: -20°C to +20°C



Container Qty	20GP	40GP	40HQ
40L	112 pcs	228 pcs	285 pcs
55L	81 pcs	228 pcs	240 pcs
75L	63 pcs	172 pcs	172 pcs



YCD33/45/60S STANDARD VERSION PORTABLE REFRIGERATOR

Features

- Robust design with impact-resistant edges
- Solid metal hinge
- Reversible lid
- Max & Eco working mode
- Fast cooling & energy saving
- Low-noise
- 3-Level battery protection
- Soft closing lid
- Extra thick gasket for good thermal function
- Drain outlet

Specifications

- Capacity: 33L/45L/60L
- Dimension:
33L: L632*W414*H365mm
45L: L645*W425*H440mm/
60L: L645*W425*H535mm
- Net weight: 16.6kg/18.1kg/19.7kg
- Temperature range: -18°C to +10°C



Container Qty	20GP	40GP	40HQ
33L	170 pcs	350 pcs	350 pcs
45L	136 pcs	280 pcs	350 pcs
60L	102 pcs	210 pcs	280 pcs

YCD45 SINGLE ZONE & 60 DUAL ZONE PORTABLE REFRIGERATOR

Features


- Solid metal hinges
- MAX & MIN working mode
- Retractable handle
- Extra thick insulation layer
- Protective corners
- Fast cooling & energy saving
- Noise isolation

Specifications


- Capacity: 45L/60L
- Dimension:
45L: L659*W374*H477mm
60L: L790*W465*H475mm
- Net weight: 22kg/29.7kg
- Temperature range: -18°C to +10°C



Container Qty	20GP	40GP	40HQ
45L	136 pcs	288 pcs	288 pcs
60L	108 pcs	224 pcs	224 pcs



Adjust & Shut Off Individually



MCD50/65 SINGLE ZONE & 75 DUAL ZONE PORTABLE REFRIGERATOR

Features

- Reversible lid
- Fast cooling & energy saving
- Low-noise
- 3-Level battery protection
- Digital display
- Extra thick gasket for good thermal function
- DC 12/24V operation



Specifications

- Capacity: 50L/65L/75L
- Dimension:
50L: L690*W480*H436mm
65L: L690*W480*H516mm
75L: L880*W480*H470mm
- Net weight: 15.5kg/18.5kg/22.2kg
- Temperature range: -18°C to +10°C

Container Qty	20GP	40GP	40HQ
50L	124 pcs	252 pcs	315 pcs
65L	124 pcs	252 pcs	252 pcs
75L	95 pcs	200 pcs	200 pcs

APL55 PORTABLE REFRIGERATOR

Features

- Robust stainless-steel construction
- Damping hinge
- Soft closing lid with extension parts
- Retractable handle
- Smart APP control
- Drain outlet
- High-quality control panel
- Efficient compressor cooling technology
- Max & Eco working mode
- 3-level battery protection



Specifications

- Capacity: 55L
- Dimension: L730*W475*H481mm
- Net weight: 24.8kg
- Temperature range: -20°C to +20°C

Container Qty	20GP	40GP	40HQ
	112 pcs	228 pcs	228 pcs

DUAL ZONE FRIDGE FREEZER

INDEPENDENT TEMP CONTROL FOR EACH ZONE



COMPRESSOR AND REFRIGERATION CYCLE SYSTEM



- + 55Qt Capacity
- Less Than 38dB
- 5 Years Warranty
- 4~68°F Cooling
- Rapid Cool Down
- 0.995kw.h/24h

ADJUSTABLE PARTITIONS INDIVIDUAL CONTROL



WHEELED RANGE



MCD30/40/50J PORTABLE REFRIGERATOR

Features

- Fast cooling & energy saving
- Pull rod and wheels for easy moving
- Versatile lid
- Max & Eco working mode
- Auto alarm
- UV-sterilization function
- Metal & plastic combination body
- Waterproof rubber cover for all sockets
- Digital display control
- Solid metal hinges
- Dual DC socket

Specifications

- Capacity: 30L/40L/50L
- Dimension:
 - 30L: L665*W350*H390mm
 - 40L: L665*W350*H445mm
 - 50L: L665*W350*H520mm
- Net weight: 16.3kg/17.4kg/18.5kg
- Temperature range: -20°C to +20°C



Container Qty	20GP	40GP	40HQ
30L	175 pcs	360 pcs	360 pcs
40L	140 pcs	288 pcs	360 pcs
50L	105 pcs	216 pcs	288 pcs

YCD30/40/50P PORTABLE REFRIGERATOR

Features

- Draw-bar handle and off-road wheels for easy moving.
- Available USB socket
- DC 12/24V operation
- Max & Eco working mode
- Fast cooling & energy saving
- Low power consumption
- Built-in LED light
- Extra thick gasket and foaming layer

Specifications

- Capacity: 30L/40L/50L
- Dimension:
 - 30L: L628*W409*H403mm
 - 40L: L628*W409*H513mm
 - 50L: L628*W409*H583mm
- Net weight: 14.4kg/15.7kg/16.5kg
- Temperature range: -20°C to +20°C



Container Qty	20GP	40GP	40HQ
30L	172 pcs	352 pcs	440 pcs
40L	172 pcs	352 pcs	352 pcs
50L	129 pcs	264 pcs	352 pcs



YCD45/60S PORTABLE REFRIGERATOR

Features

- Robust design with impact-resistant edges
- Telescopic handle and off-road wheels for flexibly moving
- Dual zone with temperature control separately
- Solid metal hinge
- Reversible lid
- Max & Eco working mode
- 3 in 1 (Fridge, freezer, fridge & freezer)
- Fast cooling & energy saving
- Low-noise
- 3-Level battery protection
- Digital display
- Extra thick gasket
- Drain outlet



Specifications

- Capacity: 45L/60L
- Dimension:
45L: L720*W455*H450mm
60L: L720*W455*H546mm
- Net weight: 19.2kg/21.4kg
- Temperature range: -18°C to +10°C

Container Qty	20GP	40GP	40HQ
45L	116 pcs	236 pcs	295 pcs
60L	87 pcs	177 pcs	236 pcs

INDEPENDENT CONTROL FOR EACH ZONE

6 options for different needs

SINGLE ZONE



1 Freezer



2 Fridge

DOUBLE ZONE



3 Freezer and Fridge



4 Fridge and Freezer



5 Freezer and Freezer



6 Fridge and Fridge

MCD50/65K SINGLE ZONE & MCD75/95K DUAL ZONE PORTABLE REFRIGERATOR

Features

- Reversible lid
- Telescopic handle and off-road wheels for flexibly moving.
- Fast cooling & energy saving
- Low-noise
- 3-Level battery protection
- Digital display
- Extra thick gasket for good thermal function



Specifications

- Capacity: 50L/65L/75L/95L
- Dimension:
50L: L691*W465*H420mm
65L: L691*W470*H505mm
75L: L882*W465*H468mm
95L: L882*W470*H568mm
- Net weight: 19.1kg/21.3kg/25.5kg/27.5kg
- Temperature range: -20°C to +20°C

Container Qty	20GP	40GP	40HQ
50L	135 pcs	270 pcs	324 pcs
65L	81 pcs	162 pcs	162 pcs
75L	84 pcs	168 pcs	168 pcs
95L	63 pcs	126 pcs	126 pcs



UPRIGHT FRIDGES



Fast
Cooling



Anti-shock
Anti-shake



Energy
Saving



Anti-electro
Magnetic



Battery
Protection

YC42A2 RV REFRIGERATOR

Features

- Fast cooling & energy saving
- Separate freezer
- Extra thick insulation
- 40W Low power consumption
- 3-level battery protection
- DC operation (12V/24V)
- Anti-shock anti-shake
- Anti-electro magnetic
- Removable door gasket

Specifications

- Capacity: 42L
- Dimension: L515*W386*H530mm
- Net weight: 14.9kg
- Temperature range: -15°C to +10°C



Container Qty	20GP	40GP	40HQ
	126 pcs	273 pcs	364 pcs

YC60 RV REFRIGERATOR

Features

- Fast cooling & energy saving
- Sleep mode design
- Extra thick insulation
- Low power consumption
- 3-level battery protection
- DC operation (12V/24V)
- Anti-shock anti-shake
- Anti-electro magnetic
- Removable door gasket

Specifications

- Capacity: 60L
- Dimension: L450*W520*H530mm
- Net weight: 19.6kg
- Temperature range: -15°C to +10°C



Container Qty	20GP	40GP	40HQ
	108 pcs	216 pcs	288 pcs

YC49A3 RV REFRIGERATOR

Features

- Fast cooling & energy saving
- Separate freezer
- Extra thick insulation
- 40W Low power consumption
- 3-level battery protection
- DC operation (12V/24V)
- Anti-shock anti-shake
- Anti-electro magnetic
- Removable door gasket

Specifications

- Capacity: 49L
- Dimension: L520*W386*H530mm
- Net weight: 15.6kg
- Temperature range: -15°C to +10°C



Container Qty	20GP	40GP	40HQ
	126 pcs	273 pcs	364 pcs

YC85A3 RV REFRIGERATOR

Features

- Fast cooling & energy saving
- Sleep mode design
- Bigger freezer compartment 10L
- Extra thick insulation
- 40W Low power consumption
- 3-level battery protection
- DC operation (12V/24V)
- Anti-shock anti-shake
- Removable door gasket

Specifications

- Capacity: 85L
- Dimension: L475*W555*H630mm
- Net weight: 24.5kg
- Temperature range:
 - Fridge: 0°C-10°C (adjustable)
 - Freezer: -15°C-0°C (non adjustable)



Container Qty	20GP	40GP	40HQ
	90 pcs	180 pcs	180 pcs

YC85A4 RV REFRIGERATOR

Features

- Extended handle design
- Fast cooling & energy saving
- Sleep mode design
- Bigger freezer compartment 10L
- Extra thick insulation
- 40W Low power consumption
- 3-level battery protection
- Anti-shock anti-shake
- Removable door gasket

Specifications

- Capacity: 85L
- Dimension: L475*W555*H630mm
- Net weight: 24.5kg
- Temperature range:
Fridge: 0°C-10°C (adjustable)
Freezer: -15°C-0°C (non adjustable)



Container Qty	20GP	40GP	40HQ
	90 pcs	180 pcs	180 pcs

YCD150 RV REFRIGERATOR

Features

- Fast cooling & energy saving
- Separate freezer
- Extra thick insulation
- Battery protection
- 150L high-capacity
- Self-cooling management
- Customizable left or right door swing
- Multiple panel patterns selection

Specifications

- Capacity: 150L
- Dimension: L425*W500*H1500mm
- Net weight: 40kg
- Temperature range:
Fridge: -20°C to +10°C
Freezer: -20°C to -10°C



Container Qty	20GP	40GP	40HQ
	44 pcs	92 pcs	92 pcs

YC110 RV REFRIGERATOR

Features

- Fast cooling & energy saving
- Sleep mode design
- Bigger freezer
- Extra thick insulation
- Low power consumption
- 3-level battery protection
- DC operation (12V/24V)
- Anti-shock anti-shake
- Removable door gasket

Specifications

- Capacity: 110L
- Dimension: L525*W545*H800mm
- Net weight: 30.3kg
- Temperature range: -15°C to +10°C



Container Qty	20GP	40GP	40HQ
	54 pcs	108 pcs	162 pcs

YCD226 RV REFRIGERATOR

Features

- Fast cooling & energy saving
- Separate freezer
- Extra thick insulation
- Battery protection
- 226L high-capacity
- Multiple panel patterns selection
- Customizable left or right door swing
- Sleep mode design, RV life is quieter

Specifications

- Capacity: 226L
- Dimension: L595*W586*H1490mm
- Net weight: 50kg
- Temperature range:
Fridge: 0°C to +10°C
Freezer: -20°C to -10°C



Container Qty	20GP	40GP	40HQ
	37 pcs	79 pcs	79 pcs

DRAWER FRIDGES



**SOHAM
VILLA**
(I.I.B. & ESTABLISHMENT)
SOMNATH KOOT- VASHTI
APR
MINIST
GO
108.94

CT16 DRAWER FRIDGE

Features

- Drawable design with metal slide rail
- Fast cooling & energy saving
- Extra thick insulation
- Battery protection
- Ball-bearing fridge slide
- 3-level battery protection
- Great heat insulation

Specifications

- Capacity: 16L
- Dimension: L380*W530*H240mm
- Net weight: 10kg
- Temperature range: -15°C to +10°C



Container Qty	20GP	40GP	40HQ
	276 pcs	576 pcs	672 pcs

CT32 DRAWER FRIDGE

Features

- Extended handle design
- Drawable design with metal slide rail
- Fast cooling & energy saving
- Extra thick insulation
- Battery protection
- Ball-bearing fridge slide
- 3-level battery protection
- Great heat insulation

Specifications

- Capacity: 32L
- Dimension: L440*W750*H270mm
- Net weight: 20.1kg
- Temperature range: -15°C to +10°C



Container Qty	20GP	40GP	40HQ
	156 pcs	330 pcs	385 pcs

CT30 DRAWER FRIDGE

Features

- Drawable design with metal slide rail
- Fast cooling & energy saving
- Extra thick insulation
- Battery protection
- Ball-bearing fridge slide
- 3-level battery protection
- Great heat insulation

Specifications

- Capacity: 30L
- Dimension: L560*W578*H250mm
- Net weight: 18kg
- Temperature range: -15°C to +10°C



Container Qty	20GP	40GP	40HQ
	174 pcs	360 pcs	360 pcs

CT60 DRAWER FRIDGE

Features

- Drawable Design With Metal Slide Rail
- Fast cooling & energy saving
- Extra thick insulation
- Battery protection
- Ball-Bearing Fridge Slide
- 3-level battery protection
- great heat insulation

Specifications

- Capacity: 60L
- Dimension: L490*W720*H408mm
- Net weight: 23kg
- Temperature range: -15°C to +10°C



Container Qty	20GP	40GP	40HQ
	100 pcs	208 pcs	260 pcs

OUTDOOR LIFE



AIR CONDITIONER

Features

- 5-10mins fast cooling
- Energy saving
- 7-speed dual rotor compressor
- 3 fans strong cooling
- 40m³/h Max air supply volume
- IPX6K strong waterproof performance
- Bluetooth & remote control dual control system

Specifications

- Dimension:
L970*W830*H169mm(outside)
350*367*139mm(inside)
- Net weight: 31.8kg
- Temperature range: +16°C to +30°C



Endurance time during the day



Endurance time during the night

PORTABLE GAS WATER HEATER

Features

- Instant heating
- Self suction water pump
- Intelligent constant temperature
- Portable and compact
- Equipped with motor, one click water pumping

Specifications

- Dimension:
L380*W180*H315mm
- Net weight: 7kg
- battery level: 8000mah
- Max outlet temperature: 52°C
- Charging time: 3H



Five intelligent fire protection



Tipping fire protection



Water shortage flameout protection




Shower shut off flameout protection



58°C Flameout protection



Flameout protection when gas runs out



CUSTOMIZED LITHIUM-ION BATTERY

Specifications

- Net weight: 1.7kg
- Operating temperature: -10°C ~ 40°C
- Input: 12V-30V/42W-100W
- DC output: 13.3V/10A MAX
- Type-C output: 5A,3A
- USB output: 5A,2.4A
- Cycle Life: Charge and discharge ≤500 times



8.5hrs
55W Portable Fridge



	Model 1	Model 2	Model 3	Model 4
Magnetic	●	●	●	●
Non-magnetic	●	●	●	●
Capacity	216WH	216WH	250WH	250WH
Charge power	42W	42W	100W	100W
Dimension(mm)	228 x 152 x 48	240 x 155 x 45	228 x 152 x 48	240 x 155 x 45
Charging time	8hrs	8hrs	3.5hrs	3.5hrs
Fast charging	●	●	●	●



1075WH PORTABLE POWER STATION

Features

- Lithium iron phosphate battery cells
- Bidirectional inverter fast charging
- 600LM high brightness led light
- Two way charge(wall, solar)



Specifications

- Capacity:1075WH
- Dimension:L360mm*W262mm*H266mm
- Net weight:14.73kg
- Operating temperature:-10°C ~ 40°C



1.6 hours
PCS 800W



3 hours
400W MAX



350 hours
Max lighting time

SUITED FOR VARIOUS APPLIANCES

Powering up to 9 devices at a time

- Laptop Computer 45.4Wh
- Searchlight 10Wh
- Monitor for 10W
- Mini Fridge 42Wh
- 32-inch TV 68Wh
- Sports Camera 1.5Wh
- Smartphone 10Wh
- Game Console 18Wh

POWER DISPLAY

CLEARLY DISPLAYS CHARGING AND POWER STATUS

- PV INPUT x1 Max 430W
- CAV OUTLET x1 12V-10A
- DC OUTLET x1 12V-5A
- USB-C x2 PD100W Max
- USB-A x2 18W Max
- AC WALL OUTLET x2 Total Output Power 2400W



ACCESSORIES

PROTECTIVE COVER



12V LIGHTER PLUG



SLIDE MOUNT



80W ACADAPTER



EXTENSION CABLE



SHOULDER STRAPS

